



Accreditation No. 1031/47

Analysis / Test Report

Client : FITWHEY CO., LTD.
 11 Soi Nakniwas 15, Nakniwas Rd., Ladprao, Ladprao, Bangkok Thailand 10230
P/O : POO-230820019
Project Name :
Project Location :

Lot ID: 23102027
 Date Received : Aug 29, 2023
 Date Reported : Sep 30, 2023
 Report Number : 2770888-1 Rev. No.2

Sample Number 23102027-23
Sample Description INTL VITAXTRONG ISO - PRO (tube) 5 lb Banana LOT : C15-21/07/23-12:58:13
Date Analysis Commenced Aug 30, 2023
Condition of Sample Packed in one sealed original Packaging

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Food Testing						
Protein (Nx6.38)	g/36g	-	-	28.1	In-house method STM No.03-017 based on AOAC (2019), 981.10	Bangkok

Note : This Analysis test report is reissued to supersede report No.2770888-1 Rev. No.1, Date Reported : Sep 12, 2023 due to revise analytical information.

- Remark :
- LOD : Limit of Detection
 - "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Approved by

Sumalee Chanta
Manager

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197